CLAIMS

What is claimed is:

1	1.	In a computer network, a method for locating a resource, comprising:	
2	providing an interface having instructions to send association data;		
3	identify	ring an identity service using the association data, the identity service	
4	managing resource data; and		
5	locatin	g the resource using the resource data.	
1	2.	The method of Claim 1, further comprising performing a specified task	
2	utilizing the re	esource.	
1	3.	The method of Claim 1, wherein the association data includes a client	
2	identifier and	a session identifier associated with the interface, and wherein the act of	
3	identifying co	mprises:	
4	provid	ing the session identifier associated with the interface, identifying the	
5	client identifie	er included in the association data;	
6	identif	ying other association data containing that client identifier; and	
7	acquir	ing at least a portion of the session identifier included in the other	
8	association d	ata.	
1	4.	The method of Claim 1, wherein the act of providing comprises	
2	providing a w	reb page having instructions to request a web bug sending association	
3	data containing a cookie and an URL for the web page; and		
4	where	in the act of identifying comprises:	
5		providing the URL to identify the association data containing the	
6	cookie	9;	
7		identifying other association data containing the cookie; and	
8		acquiring an URL for the identity service from the identified association	
9	data.		
1	5.	In a computer network, a method for locating a resource for a user,	
2	comprising:		

3	providing an interface having instructions to send association data to two or		
4	more association services;		
5	identifying from the two or more association services, an association service		
6	with which the user has established a relationship;		
7	identifying an identity service using the association data sent to the identified		
8	association service, the identity service managing resource data; and		
9	locating the resource using the resource data.		
1	6. In a computer network, a method for locating a resource comprising:		
2	providing a web page having instructions to request a web bug;		
3	requesting the web bug sending a cookie and an URL for the web page;		
4	saving the cookie and the URL for the web page as an entry in an association		
5	table;		
6	querying, providing the URL for the web page, the association table for the		
7	cookie in the entry containing the URL;		
8	identifying other entries in the association table containing the cookie;		
9	identifying from those entries an entry containing an URL for an identification		
10	service, the identification service managing resource data; and		
11	locating the resource using the resource data.		
1	7. A method for producing an electronic document, comprising:		
2	generating, upon request from a user, a web page having content for		
3	requesting a web bug from an association service as well as content for displaying		
4	controls for selecting production options;		
5	querying the association service to identify an identity service with which the		
6	user is registered providing an URL for the generated web page;		
7	obtaining the user's resource data from the identified identity service;		
8	locating and accessing a document management service using the resource		
9	data;		
10	providing additional content for the web page for displaying controls for		
11	selecting a document managed by the document management service; and		
12	producing a document according to selections made through the web page.		

8.	The method of Claim 7, wherein
Ο.	THE HIGHIER OF CIRCUIT TO THE PERSON

the act of generating comprises generating a web page having instructions to request a web bug sending, to the association service association, data containing a cookie and an URL for the web page;

the method further comprises saving the association data as an entry in an association table:

the act of querying further comprises identifying the cookie in the saved entry using the provided the URL, identifying other association data containing the identified cookie, and, from the other identified association data, acquiring an URL for the identity service; and

the act of obtaining the user's resource data comprises obtaining the user's resource data from the identified identity service using, at least in part, the acquired URL.

 A computer readable medium having instructions for: providing an interface having instructions to send association data; identifying an identity service using the association data, the identity service managing resource data; and

locating a resource using the resource data.

- The medium of Claim 9, having further instructions for performing a specified task utilizing the resource.
- 1 11. The medium of Claim 9, wherein the association data includes a client identifier and a session identifier associated with the interface, and wherein the instructions for identifying comprise instructions for:

providing the session identifier associated with the interface, identifying the client identifier included in the association data;

- identifying other association data containing that client identifier; and acquiring the session identifier included in the other association data.
- 12. The medium of Claim 9, wherein the instructions for providing comprise instructions for providing a web page having instructions to request a web bug sending association data containing a cookie and an URL for the web page; and

3

4

5

6

4	wherein the instructions for identifying comprise instructions for:		
5	providing the URL to identify the association data containing the		
6	cookie;		
7	identifying other association data containing the cookie; and		
8	acquiring, from the identified association data, an URL for the identity		
9	service.		
1	A computer readable medium having instructions for:		
2	providing an interface having instructions to send association data to two or		
3	more association services;		
4	identifying from the two or more association services, an association service		
5	with which a user has established a relationship;		
6	identifying an identity service using the association data sent to the identified		
7	association service, the identity service managing resource data; and		
8	locating a resource for the user using the resource data.		
1	14. A computer readable medium having instructions for:		
2	providing a web page having instructions to request a web bug;		
3	requesting the web bug sending a cookie and an URL for the web page;		
4	saving the cookie and the URL for the web page as an entry in an association		
5	table;		
6	querying, providing the URL for the web page, the association table for the		
7	cookie in the entry containing the URL;		
8	identifying another entries in the association table containing the cookie;		
9	identifying, from those entries, the entry containing an URL for an		
10	identification service, the identification service managing resource data; and		
11	locating a resource using the resource data.		
1	15. A computer readable medium having instructions for:		

15. A computer readable medium having instructions for: generating, upon request from a user, a web page having content for requesting a web bug from an association service as well as content for displaying controls for selecting production options; querying the association service to identify an identity service with which the user is registered providing an URL for the generated web page;

5 6

7

8 9

10

7 obtaining the user's resource data from the identified identity service; locating and accessing a document management service using the resource 8 9 data: providing additional content for the web page for displaying controls for 10 selecting a document managed by the document management service; and 11 producing a document according to selections made through the web page. 12 1 16. The medium of Claim 15, wherein: the instructions for generating comprise instructions for generating a web 2 page having instructions to request a web bug sending to the association service 3 4 association data containing a cookie and an URL for the web page; the medium having further instructions for saving the association data as an 5 6 entry in an association table; the instructions for querying further comprise instructions for identifying the 7 cookie in the saved entry using the provided the URL, identifying other association 8 data containing the identified cookie, and, from the other identified association data, 9 acquiring an URL for the identity service: and 10 the instructions for obtaining the user's resource data comprise instructions 11 for obtaining the user's resource data from the identified identity service using, at 12 least in part, the acquired URL. 13 A system for locating a resource, comprising: 1 17. an association module operable to query an association service, supplying a 2 session identifier, in order to identify an identity service managing resource data; and 3

an application operable to:

provide an interface having instructions to send association data to the association service, the association data to contain a client identifier and a session identifier for the provided interface;

acquire resource data from an identity service identified by a query from the association module: and

locate the resource using the resource data.

2

3

5

6

1

2

3

4

11

12

13 14

15

16 17

1

2

3

5

6 7

8 9

18. The system of Claim 17, wherein:

the application is further operable to provide the interface in the form of a web page having instructions to send association data containing a cookie and the URL for the provided web page; and

the association module is further operable to provide the URL and query the association service for an URL for the identity service.

A document production system, comprising:

an association module operable to query an association service, supplying a session identifier in order to identify an identity service managing resource data; and a document production application operable to:

provide an interface having content for sending association data containing a session identifier for the provided interface to an association service as well as content for displaying controls for selecting production options;

acquire resource data from an identity service identifier identified by a query from the association module;

locate and access a document management service using the resource data; and

provide, for the interface, additional content for displaying controls for selecting a document managed by the document management service; and

produce a document according to selections made through the interface.

20. A system for locating a resource, comprising:

an identity service operable to manage resource data;

an association server operable to receive association data containing a client identifier and a session identifier, save the association data in an association table, and receive queries for the association table;

an association table interface in communication with the association server and operable, according to a received query, to access from the association table a session identifier for the identity service using a session identifier supplied with the query:

an association module operable to query, supplying a session identifier, the
association service in order to identify the identity service;
an application operable to:
provide an interface having instructions to send association data to an
association server, the association data to contain a client identifier and a
session identifier for the provided interface;
acquire resource data from the identity service identified by a query
from the association module; and
locate the resource using the resource data.

21. The system of Claim 20, wherein:

the application is further operable to provide the interface in the form of a web page having instructions to send association data containing a cookle and the URL for the provided web page;

the association module is further operable to provide the URL interface and query the association service for an URL for the identity service; and

the association table interface is further operable to locate an entry in the association table containing the provided URL, identify the cookie in the located entry, identify other entries containing that cookie, and, from those other entries, accurre an URL for the identity service: and

the application is further operable to use the acquired URL to acquire resource data from the identity service.

A document production system, comprising:

a document management service;

an identity service operable to manage resource data for locating and accessing the document management service;

an association server operable to receive association data containing a client identifier and a session identifier, save the association data in an association table, and receive queries for the association table;

an association table interface in communication with the association server and operable, according to a received query, to access from the association table a

session identifier for the identity service using the session identifier supplied with the query;

an association module operable to query, supplying a session identifier, the association service in order to identify the identity service;

a document production application operable to:

provide an interface having content for sending association data containing a client identifier and a session identifier for the provided interface to an association service as well as content for displaying controls for selecting production options;

acquire resource data from an identity service using the session identifier for the identity service identified by a query from the association module;

locate and access the document management service using the resource data;

provide, for the interface, additional content for displaying controls for selecting a document managed by the document management service; and

produce a document according to selections made through the interface.

23. The system of Claim 22, wherein:

the association table interface is further operable to locate an entry in the association table containing the session identifier supplied with a query, identify the client identifier in the located entry, identify other entries containing that client identifier, and, from those other entries, acquire a session identifier for the Identity service; and

the document production application is further operable to use the acquired session identifier for the identity service to acquire resource data from the identity service.

A system for locating a resource, comprising:

a means for querying, supplying a session identifier, an association service in order to identify an identity service managing resource data;

1 2

5 data
6 serv
7
8 iden
9
10 the i
11
12 cont
13 and

a means for providing an Interface having instructions to send association			
data to the association service, the association data to contain a client identifier and			
a session identifier for the provided interface;			
a means for acquiring resource data from an identity service identified by a			
query; and			
a means for locating the resource using the resource data.			
25. A document production system, comprising:			
a means for querying, supplying a session identifier, an association service in			
order to identify an identity service managing resource data;			
a means for providing an interface having content for sending association			
data containing a session identifier for the provided interface to the association			
service as well as content for displaying controls for selecting production options;			
a means for acquiring resource data from an identity service identifier			
identified by a query;			
a means for locating and accessing a document management service using			
the resource data;			
a means for providing, for the interface, additional content for displaying			
controls for selecting a document managed by the document management service;			